

LED lamp cooling kit

Without power supply. Without light source.


LED lighting fixture heat dissipation solution provider

PTL002

Modular spotlights kit

LED Flood Light

HEATSINK/COMPONENTS/ACCESSORIES



100W

200W

300W

400W

500W

600W

800W


1000W

1200W




High-quality die-cast aluminum

Thickened high-quality die-cast aluminum, with high hardness and greater sturdiness.
More reliable for professional use.



Product decomposition diagram



Air convection, thermoelectric separation

The power supply and the lamp body are installed independently,
Easy to disassemble and install, and convenient for heat dissipation

1. Optical PC lens, UV-resistant material, does not turn yellow even after long use, and resistant to high temperature.
2. Silicone waterproof sealing strip, UV-resistant material, reliable and long-lasting.
3. Compatible with 3030/5050 light bulbs, with stronger light output and farther illumination range.
4. High thermal conductivity aluminum base plate, faster heat dissipation.
5. ADC12 die-cast aluminum heat sink, efficiency up to 96W/M.K.
6. External waterproof power supply is placed on a dedicated iron plate, without contact with the lamp body, thermal separation, longer lifespan.
7. Strong iron bracket, installation more stable.

Optics


Scientific light distribution design, precise and efficient.




Multiple colors are available for selection.

Black (optional)


Grey (Mainly Promoted)




15°




30°




60°



90°




70°*140°







Various installation methods



Floor-mounted installation



Ceiling-mounted installation



Wall-mounted installation




Column installation


100W




200W




300W




400W




500W




600W




400W




600W




800W



1000W




1200W




Product size

Annotation unit: MM


100W




200W




300W




400W




500W




600W




400W




600W




800W



1000W



1200W



FREELUX 菲瑞克斯

LED lamp cooling kit

Without power supply. Without light source.

